

Food Preparation Tables

TSSU, TPP & TFP

English





Contents




2 About True

4 Sandwich/Salad Tables

10 Pizza Prep Tables

14 Food Prep Tables



The industry's most complete refrigeration source.
True.

True is the world's leading supplier of quality commercial refrigeration. Founded over 70 years ago in Missouri, USA, True continues to flourish around the globe by offering the best possible environment to store your food products.





True, Your Energy Efficient Future... Naturally



Hydrocarbon has less than
THREE Global Warming
Potential (R134A = 1,430)



Naturally Occurring Refrigerant
= Environmentally Friendly



Up to 15% more efficient
than R134A and R404A



ZERO Ozone Depletion Potential



Sustainability

Over 70 Years of commercial refrigeration focus have enabled True to become experts in the design and development of our systems. While energy efficiency has always been part of our design process, we continue to utilize new technologies to improve our systems to be the most efficient in the industry, without sacrificing the performance that ultimately provides food safety for our customers throughout the World.

True continually searches for environmentally friendly components and processes to help reduce our own and our customers' carbon footprint. Initiatives include offering a natural refrigerant and CFC free, polyurethane, high-density insulation that provides unparalleled strength, rigidity, and increase to an already industry-exceeding insulation factor, with zero ozone depletion potential (ODP) and zero global warming potential (GWP).

Energy efficiency without compromise.



Natural Refrigerant is
standard on most models.



PREP TABLES

Sandwich/Salad Tables

Incredibly adaptable, True's salad/sandwich tables are designed with enduring quality that protects your long-term investment.

The flexible well configurations allow you to tailor your ingredient pans to both your operation and menu, reducing preparation time and enhancing your product freshness.

Convenient undercounter cabinets allow for increased product storage and facilitate quick pan changeovers and replenishment.







Sandwich/Salad Prep Tables

Cutting Board

Full length removable cutting board; extra deep options available.



Coated
evaporators



Robust
components



Efficient
motors



Digital
display



Patented
airflow

Pans

102 mm deep, clear polycarbonate insert pans supplied as standard. Also accepts 150 and 200 mm deep pans.

TSSU-48-12-HC

Solid Door Sandwich/Salad Table

Lid & Hood

Insulated lid and hood keep temperatures colder, lock in freshness and minimize condensation. Removable for easy cleaning.

Insulation

Entire cabinet structure is foamed-in-place using a high density, polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP).

Refrigeration

Advanced, robust and environmentally friendly refrigeration system.



TSSU-27-08D-2-HC



TSSU-36-08-HC






































TSSU-60-08-HC



TSSU-60-16D-4-HC

PREP TABLES Sandwich/Salad

TSSU: Refrigerators

Model	Doors/Drawers	Shelves	Dimensions (mm) W** x D† x H	Litres	Crated Weight (kg)	Number of 1/6 Pans (top)
TSSU-27-08-HC 	1 / 0	2	702 x 766 x 1093	215	102	
TSSU-27-08D-2-HC 	0 / 2	N/A	702 x 766 x 1093	215	109	
TSSU-36-08-HC 	2 / 0	4	924 x 766 x 1093	289	116	
TSSU-48-08-HC 	2 / 0	4	1229 x 766 x 1093	366	134	
TSSU-48-10-HC 	2 / 0	4	1229 x 766 x 1093	366	137	
TSSU-48-12-HC 	2 / 0	4	1229 x 766 x 1093	396	132	
TSSU-48-12D-2-HC 	1 / 2	2	1229 x 766 x 1093	366	148	
TSSU-48-12D-4-HC 	0 / 4	—	1229 x 766 x 1093	366	155	
TSSU-60-08-HC 	2 / 0	4	1534 x 766 x 1093	439	155	
TSSU-60-10-HC 	2 / 0	4	1534 x 766 x 1093	439	166	
TSSU-60-12-HC 	2 / 0	4	1534 x 766 x 1093	439	171	
TSSU-60-16-HC 	2 / 0	4	1534 x 766 x 1093	439	171	
TSSU-60-16-DS-ST-HC 	2 / 0	4	1534 x 985 x 956	439	193	
TSSU-60-16D-2-HC 	1 / 2	2	1534 x 766 x 1093	439	184	
TSSU-60-16D-4-HC 	0 / 4	—	1534 x 766 x 1093	439	191	
TSSU-72-08	3 / 0	6	1839 x 766 x 1093	439	198	
TSSU-72-10	3 / 0	6	1839 x 766 x 1093	439	198	
TSSU-72-12	3 / 0	6	1839 x 766 x 1093	439	202	
TSSU-72-16	3 / 0	6	1839 x 766 x 1093	439	200	
TSSU-72-18	3 / 0	6	1839 x 766 x 1093	538	202	

†DEPTH DOES NOT INCLUDE 26MM FOR REAR BUMPERS.

**WIDTH DOES NOT INCLUDE 4MM (EACH SIDE) FOR LID PINS (TSSU-27'S).

**WIDTH DOES NOT INCLUDE 7MM EACH SIDE FOR CUTTING BOARD BRACKETS.

‡AVAILABLE WITH 483 MM CUTTING BOARD OR CRUMB CATCHER.

NOTE: DEPTH ON DUAL SIDED DOES NOT INCLUDE 80MM FOR CUTTING BOARDS.

NOTE: FOR DOOR/DRAWER COMBO MODELS, DOOR OR DRAWER ASSEMBLY CAN BE LOCATED IN ANY SECTION OF THE CABINET. LOCATION OF DOOR/DRAWERS MUST BE INDICATED AT TIME OF ORDERING.

All dimensions rounded up to the nearest whole millimeter.

 HYDROCARBON REFRIGERANT



TSSU-72-08



TSSU-72-12



TSSU-72-18

TSSU: Mega-Top Refrigerators

Model	Doors/Drawers	Shelves	Dimensions (mm) W** x D† x H	Litres	Crated Weight (kg)	Number of 1/6 Pans (top)
TSSU-27-12M-C-HC	1 / 0	2	702 x 867 x 1185	215	104	
TSSU-36-12M-B-HC	2 / 0	4	924 x 867 x 1185	289	116	
TSSU-48-12M-B-HC	2 / 0	4	1229 x 867 x 1185	366	148	
TSSU-48-18M-B-HC	2 / 0	4	1229 x 867 x 1185	366	141	
TSSU-60-12M-B-HC	2 / 0	4	1534 x 867 x 1185	339	168	
TSSU-60-15M-B-HC	2 / 0	4	1534 x 867 x 1185	439	168	
TSSU-60-18M-B-HC	2 / 0	4	1534 x 867 x 1185	439	175	
TSSU-60-24M-B-ST-HC	2 / 0	4	1534 x 867 x 1185	439	175	
TSSU-60-24M-B-DS-ST-HC	2 / 0	4	1534 x 1026 x 956	439	191	
TSSU-72-12M-B	3 / 0	6	1839 x 867 x 1185	538	200	
TSSU-72-15M-B	3 / 0	6	1839 x 867 x 1185	538	202	
TSSU-72-18M-B	3 / 0	6	1839 x 867 x 1185	538	202	
TSSU-72-24M-B-ST	3 / 0	6	1839 x 867 x 1185	538	207	
TSSU-72-30M-B-ST	3 / 0	6	1839 x 867 x 1185	538	214	
TSSU-72-30M-B-DS-ST	3 / 0	6	1839 x 1064 x 956	538	223	

†DEPTH DOES NOT INCLUDE 26MM FOR REAR BUMPERS.

**WIDTH DOES NOT INCLUDE 4MM (EACH SIDE) FOR LID PINS (TSSU-27'S).

***WIDTH DOES NOT INCLUDE 7MM EACH SIDE FOR CUTTING BOARD BRACKETS.

‡AVAILABLE WITH 483 MM CUTTING BOARD OR CRUMB CATCHER.

NOTE: DEPTH ON DUAL SIDED DOES NOT INCLUDE 80MM FOR CUTTING BOARDS.

NOTE: FOR DOOR/DRAWER COMBO MODELS, DOOR OR DRAWER ASSEMBLY CAN BE LOCATED IN ANY SECTION OF THE CABINET. LOCATION OF DOOR/DRAWERS MUST BE INDICATED AT TIME OF ORDERING.

All dimensions rounded up to the nearest whole millimeter.

HYDROCARBON REFRIGERANT

TSSU: Sandwich/Salad Units with Flat Glass Lid

Model	Doors/Drawers	Shelves	Dimensions (mm) W x D† x H*	Litres	Crated Weight (kg)	Number of 1/6 Pans (top)
TSSU-48-18M-B-FGLID-HC	2 / 0	4	1229 x 884 x 967	366	141	
TSSU-60-24M-B-ST-FGLID-HC	2 / 0	4	1532 x 884 x 967	439	175	
TSSU-72-30M-B-ST-FGLID	3 / 0	6	1839 x 884 x 967	538	213	

† DEPTH DOES NOT INCLUDE 7 MM FOR REAR BUMPERS.

* HEIGHT DOES NOT INCLUDE 584 MM FOR OPEN LID.

All dimensions rounded up to the nearest whole millimeter.

HYDROCARBON REFRIGERANT



TSSU-27-12M-C-HC



TSSU-36-12M-B-HC



TSSU-60-12M-B-HC



TSSU-60-24M-B-ST-FGLID-HC


PREP TABLES Sandwich/Salad

FLAT LID OPTION (TSSU MODELS)

DESCRIPTION	NUMBER OF LIDS	NUMBER OF PANS	PART NUMBER
STANDARD TSSU'S			
TSSU-27-08-HC	1	8	920232-FI
TSSU-36-08-HC	1	8	920051-FI
TSSU-48-08-HC	1	8	920051-FI
TSSU-48-10-HC	1	10	920052-FI
TSSU-48-12-HC	1	12	920053-FI
TSSU-60-08-HC	1	8	920051-FI
TSSU-60-10-HC	1	10	920052-FI
TSSU-60-12-HC	1	12	920053-FI
TSSU-60-16-HC*	2	8 / 8	920054-FI
TSSU-72-08	1	8	920051-FI
TSSU-72-10	1	10	920052-FI
TSSU-72-12	1	12	920053-FI
TSSU-72-16*	2	8 / 8	961566-FI
TSSU-72-18*	2	10 / 8	920477-FI

*Unit now becomes a split top with two pan openings.

Note: Flat lids are factory installed, contact customer service for lead time.



TSSU Flat Lid

FLAT LID OPTION (TSSU MEGA TOP MODELS)

DESCRIPTION	NUMBER OF LIDS	NUMBER OF PANS	PART NUMBER
MEGA TOP TSSU'S			
TSSU-27-12M-C-HC	1	12	920233-FI
TSSU-36-12M-B-HC	1	12	920056-FI
TSSU-48-12M-B-HC	1	12	920056-FI
TSSU-48-18M-B-HC	1	18	920067-FI
TSSU-60-12M-B-HC	1	12	920056-FI
TSSU-60-15M-B-HC	1	15	920057-FI
TSSU-60-18M-B-HC	1	18	920067-FI
TSSU-60-24M-B-ST-HC	2	12 / 12	955549-FI
TSSU-72-12M-B	1	12	920056-FI
TSSU-72-15M-B	1	15	920057-FI
TSSU-72-18M-B	1	18	920067-FI
TSSU-72-24M-B-ST	2	12 / 12	920058-FI
TSSU-72-30M-B-ST	2	12 / 18	920059-FI

Note: Flat lids are factory installed, contact customer service for lead time.



PREP TABLES

Pizza Prep Tables

True pizza prep tables offer market-leading design and are manufactured specifically to satisfy the demands of the busy pizza preparation area.

All models are manufactured using the highest quality materials and components, providing the user with the most consistent product temperatures, lower utility costs, exceptional food safety and the best value in today's foodservice marketplace.







Pizza Prep Tables

Wells

Refrigerated wells at the back of the counter keep the pizza toppings cool throughout the service period. True's robust, environmentally friendly forced-air refrigeration system holds the temperature in the ingredient wells and undercounter storage space at 0,5 to 5°C.



Coated
evaporators



Robust
components



Efficient
motors



Digital
display



Patented
airflow

TPP-AT-44D-2-HC

Drawered Pizza Prep Table

Cutting Board

Extra-deep, 495 mm removable cutting/preparation board that runs along the entire length. Made from hygienic, high density, white polyethylene, the board provides a tough, wipe clean preparation surface.

New 13.5 Degree
Angled Top

Lid

When ingredients are not required, a patented stainless steel, foam insulated flat lid covers the wells, keeping temperatures colder, locking in freshness, and minimizing condensation.

Insulation

Entire cabinet structure is foamed-in-place using a high density, polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP).



TPP-AT-44-HC



TPP-AT-60D-2-HC



TPP-AT-67-HC



TPP-AT-93D-6-HC

PREP TABLES Pizza Prep

TPP: Refrigerators

Model	Doors/Drawers	Shelves	Dimensions (mm) W** x D† x H	Litres	Crated Weight (kg)	Number of 1/3 Pans (top)
TPP-AT-44-HC	1 / 0	2	1134 x 854 x 1133	84	150	10
TPP-AT-44D-2-HC	0 / 2	—	1134 x 854 x 1133	323	150	10
TPP-AT-60-HC	2 / 0	4	1530 x 854 x 1133	453	189	15
TPP-AT-60D-2-HC	1 / 2	2	1530 x 854 x 1133	453	189	15
TPP-AT-67-HC	2 / 0	4	1711 x 854 x 1133	524	207	20
TPP-AT-67D-2-HC	1 / 2	2	1711 x 854 x 1133	524	207	20
TPP-AT-67D-4-HC	0 / 4	—	1711 x 854 x 1133	524	207	20
TPP-AT-93-HC	3 / 0	6	2373 x 854 x 1133	799	273	30
TPP-AT-93D-2-HC	2 / 2	4	2373 x 854 x 1133	799	273	30
TPP-AT-93D-4-HC	1 / 4	2	2373 x 854 x 1133	799	273	30
TPP-AT-93D-6-HC	0 / 6	—	2373 x 854 x 1133	799	273	30
TPP-AT-119-HC	4 / 0	8	3029 x 854 x 1133	1076	329	40
TPP-AT-119D-2-HC	3 / 2	8	3029 x 854 x 1133	1076	329	40
TPP-AT-119D-4-HC	2 / 4	4	3029 x 854 x 1133	1076	329	40
TPP-AT-119D-6-HC	1 / 6	2	3029 x 854 x 1133	1076	357	40
TPP-AT-119D-8-HC	0 / 8	—	3029 x 854 x 1133	1076	443	40

†DEPTH DIMENSION DOES NOT INCLUDE 77MM FOR CUTTING BOARDS.

‡DEPTH DOES NOT INCLUDE 26MM FOR REAR BUMPERS OR 7MM FOR FRONT BUMPER.

*WIDTH DIMENSION DOES NOT INCLUDE 7MM (EACH SIDE) FOR CUTTING BOARD BRACKETS.

**WIDTH DIMENSION DOES NOT INCLUDE 10MM (EACH SIDE) FOR LID PINS ON THE TPP-60-HC, TPP-60D-2-HC, TPP-67-HC, TPP-67D-2-HC & TPP-67D-4-HC.

NOTE: FOR DOOR/DRAWER COMBO MODELS, DOOR OR DRAWER ASSEMBLY CAN BE LOCATED IN ANY SECTION OF THE CABINET. LOCATION OF DOOR/DRAWERS MUST BE INDICATED AT TIME OF ORDERING.

All dimensions rounded up to the nearest whole millimeter.

 HYDROCARBON REFRIGERANT

GARNISH RACKS



Garnish Rack

DESCRIPTION	PART NUMBER
TPP-AT-44-HC	1 874625
TPP-AT-60-HC	1 883520
TPP-AT-67-HC	1 874626
TPP-AT-93-HC	1 set of 2 874627
TPP-AT-119-HC	1 set of 2 883521
Garnish Rack Pan	477mm x 328mm 802326



Telescoping Hood

TPP TELESCOPING HOOD & TOPPING CATCHER OPTIONS (LIST UPCHARGE)

TELESCOPING HOOD

TPP-AT-44-HC
TPP-AT-60-HC
TPP-AT-67-HC
TPP-AT-93-HC
TPP-AT-119-HC

TOPPING CATCHER

PART NUMBER
TPP-AT-44-HC 223124
TPP-AT-60-HC 223125
TPP-AT-67-HC 223126
TPP-AT-93-HC 223127
TPP-AT-119-HC 223128

Telescoping Hood & Topping Catcher options are available for all existing variations and voltages of TPP series models.

Telescoping Hood & Topping Catcher options are available separately or combined.

Telescoping Hood & Topping Catcher options are not field retrofitable.



Topping Catcher



TPP-AT-67D-4-HC



TPP-AT-93-HC



TPP-AT-119-HC



Food Prep Tables

Cutting Board

Full length removable cutting board.



Coated
evaporators



Robust
components



Efficient
motors



Digital
display



Patented
airflow

Pans

102 mm deep, clear polycarbonate insert pans supplied as standard. Also accepts 150 and 200 mm deep pans.

TFP-48-18M-HC

Solid Door Food Prep Table



Lid & Hood

Insulated lid and hood keep temperatures colder, lock in freshness and minimize condensation. Removable for easy cleaning.

Insulation

Entire cabinet structure is foamed-in-place using a high density, polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP).

Refrigeration

Advanced, robust and environmentally friendly refrigeration system.



TFP-32-12M-HC



TFP-48-18M-D-2-HC































TFP-32-12M-D-2-HC



TFP-48-18M-D-4-HC

PREP TABLES Food Prep

TFP: Refrigerators

Model	Doors/Drawers	Shelves	Dimensions (mm) W x D† x H*	Litres	Crated Weight (kg)	Number of 1/6 Pans (top)	List Price €
TFP-32-12M-HC 	1 / 0	2	816 x 801 x 1181	314	148		5157
TFP-32-12M-D-2HC 	0 / 2	—	816 x 801 x 1181	314	148		5809
TFP-48-18M-HC 	2 / 0	4	1223 x 801 x 1181	501	207		6633
TFP-48-18M-D-2HC 	1 / 2	2	1223 x 801 x 1181	501	207		7577
TFP-48-18M-D-4HC 	0 / 4	—	1223 x 801 x 1181	501	218		8918
TFP-64-24M-HC 	2 / 0	4	1629 x 801 x 1181	623	252		7639
TFP-64-24M-D-2HC 	1 / 2	2	1629 x 801 x 1181	623	252		8758
TFP-64-24M-D-4HC 	0 / 4	—	1629 x 801 x 1181	623	259		9703
TFP-64-24M-FGLID-HC 	2 / 0	4	1629 x 820 x 966	623	—		12065
TFP-72-30M-HC 	3 / 0	6	1832 x 801 x 1181	708	291		8594
TFP-72-30M-D-2HC 	2 / 2	4	1832 x 801 x 1181	708	291		9552
TFP-72-30M-D-4HC 	1 / 4	2	1832 x 801 x 1181	708	291		10495
TFP-72-30M-D-6HC 	0 / 6	—	1832 x 801 x 1181	708	291		11505
TFP-72-30M-FGLID-HC 	3 / 0	6	1832 x 820 x 966	708	—		13382

† DEPTH DOES NOT INCLUDE 51 MM FOR CUTTING BOARD.

* HEIGHT FOR ALL UNITS ARE WITH THE LID(S) CLOSED.

All dimensions rounded up to the nearest whole millimeter.

 HYDROCARBON REFRIGERANT

OVERSHELF KITS (SINGLE/DOUBLE)

DESCRIPTION	ITEM NUMBER
SINGLE OVERSHELVES	
TSSU/TUC/TWT-27 & MEGA	W x D x H: 702mm x 407mm x 509mm* 914976
TSSU/TUC/TWT-36 & MEGA	W x D x H: 924mm x 407mm x 509mm* 914977
TSSU/TUC/TWT-48 & MEGA	W x D x H: 1229mm x 407mm x 509mm* 914978
TSSU/TUC/TWT-60 & MEGA	W x D x H: 1534mm x 407mm x 509mm* 914979
TSSU/TUC/TWT-72 & MEGA	W x D x H: 1839mm x 407mm x 509mm* 914980
TPP/TUC/TWT-44	W x D x H: 1134mm x 407mm x 509mm* 915048
TPP-60, TUC/TWT-60-32	W x D x H: 1534mm x 407mm x 509mm* 915702
TPP/TUC/TWT-67	W x D x H: 1712mm x 407mm x 509mm* 915049
TFP-32	W x D x H: 823mm x 407mm x 1105mm* 958621
TFP-48	W x D x H: 1229mm x 407mm x 1105mm* 958615
DOUBLE OVERSHELVES	
TSSU/TUC/TWT-27 & MEGA	W x D x H: 702mm x 407mm x 839mm* 914981
TSSU/TUC/TWT-36 & MEGA	W x D x H: 924mm x 407mm x 839mm* 914982
TSSU/TUC/TWT-48 & MEGA	W x D x H: 1229mm x 407mm x 839mm* 914983
TSSU/TPP/TUC/TWT-60 & MEGA/TUC/TWT-60-32	W x D x H: 1534mm x 407mm x 839mm* 914984
TSSU/TUC/TWT-72 & MEGA	W x D x H: 1839mm x 407mm x 839mm* 914985
TPP/TUC/TWT-44	W x D x H: 1134mm x 407mm x 839mm* 915014
TPP/TUC/TWT-67	W x D x H: 1712mm x 407mm x 839mm* 915015
TFP-32	W x D x H: 823mm x 407mm x 1435mm* 958620
TFP-48	W x D x H: 1229mm x 407mm x 1435mm* 958614

Made of heavy-gauge stainless steel.

* Indicates maximum height, single overshelves and lower shelf on double overshelves are adjustable.

Note: Overshelves not available for dual sided models.

Note: Overshelves not available for TPP-93 or -119 models.

Single Overshelf



Double Overshelf





True manufactures the
widest range of professional
refrigeration products.

www.truemfg.com





Food Preparation Tables
Undercounters
Worktops
Traditional Reach-Ins
Underbar Refrigeration
Glass Door Merchandisers
Vertical Air Curtains
Spec Series®
Chef Bases



At True we pride ourselves on manufacturing the best refrigeration products in the world. But we also understand the importance of ensuring our after sales support matches the quality of our products.

All True customer support personnel are highly-trained, professional and friendly: their aim is to offer our customers exemplary after sales service and support.

Every customer enjoys a dedicated representative to handle their account personally. This ensures all customer enquiries are dealt with quickly and efficiently.

In the event you require technical support, our locally-based, True appointed service partners are able to offer prompt assistance, minimizing downtime and disruption to your operation.

TRUE REFRIGERATION - EUROPE

US OFFICE

2001 East Terra Lane • O'Fallon, Missouri 63366-4434 • USA
US Tel: +1 636.240.2400 • US Fax: +1 636.272.7546
US Toll Free: +1 800.325.6152 • Canada Toll Free to USA: +1 800.860.8783
Email: trueintl@truemfg.com

UK OFFICE

Fields End Road • Goldthorpe • Nr. Rotherham, South Yorkshire, S63 9EU • UK
Tel: +44 (0) 800.783.2049 • Freephone to USA: 0 800.894.928
Email: trueeurope@truemfg.com

EU OFFICE

Hauptstr. 269 • 79650 Schopfheim • Germany
Tel: +49 (0) 7622.6883.0 • Fax: +49 (0) 7622.6883.499
Email: trueeurope@truemfg.com

AUSTRALIA OFFICE

6B Phiney Place • Ingleburn, NSW 2565 • Australia
Tel: +61 2.9618.9999 • Fax: +61 2.9618.7259
Email: trueintl@truemfg.com

MEXICO OFFICE

Tel: +52.55.5804.6343/6344 • Fax: +52 555 804 6342
Toll free from U.S.A. and Mexico: +1 800.325.6152
Email: trueintl@truemfg.com

CHILE OFFICE

Av. Las Condes, # 7009, Local 1º • Comuna Las Condes — Santiago
Tel: +56 232.133.600
Email: trueintl@truemfg.com