

Spec Series[®]

STG Series

English






Contents

2 About True

4 Spec Series®

10 Accessories





The industry's most complete refrigeration source.
True.

True is the world's leading supplier of quality commercial refrigeration. Founded over 70 years ago in Missouri, USA, True continues to flourish around the globe by offering the best possible environment to store your food products.





True, Your Energy Efficient Future... Naturally



Hydrocarbon has less than **THREE** Global Warming Potential (R134A = 1,430)



Naturally Occurring Refrigerant = Environmentally Friendly



Up to 15% more efficient than R134A and R404A



ZERO Ozone Depletion Potential



Sustainability

Over 70 Years of commercial refrigeration focus have enabled True to become experts in the design and development of our systems. While energy efficiency has always been part of our design process, we continue to utilize new technologies to improve our systems to be the most efficient in the industry, without sacrificing the performance that ultimately provides food safety for our customers throughout the World.

True continually searches for environmentally friendly components and processes to help reduce our own and our customers' carbon footprint. Initiatives include offering a natural refrigerant and CFC free, polyurethane, high-density insulation that provides unparalleled strength, rigidity, and increase to an already industry-exceeding insulation factor, with zero ozone depletion potential (ODP) and zero global warming potential (GWP).

Energy efficiency without compromise.



Many True products have qualified for inclusion on the ECA Energy Technology list.





SPEC SERIES® STG Series

True's Spec Series® cabinets are designed to meet the demands of the institutional and consultant marketplaces. Top-mount design, heavy-gauge metals, and a deeper cabinet depth allows for a variety of interior options.

The most advanced and robust refrigeration systems, fitted as standard in all Spec Series® cabinets, ensure years of reliable service even in the most demanding foodservice environments.







Standard Features



Positive seal self-closing door with 120° stay open feature. Lifetime guaranteed external cam lift door hinges.



Lifetime guaranteed bolt style door lock.



Lifetime guaranteed heavy duty all metal working door handles.



Microprocessor digital control with LED display.



Energy efficient LED interior lighting.

SPEC SERIES® STG Series



All refrigeration systems are designed to withstand the high volume kitchen environment. Quality and reliability are #1 at True.

Energy saving (ECM) evaporator motor that ensures faster temperature recovery and shorter run times in the busiest of foodservice environments.

Energy efficient LED interior lighting.

All True glass doors utilize the best available technology for energy efficiency. True uses double pane "Low-E" glass assemblies for refrigerators.

Five different shelving kits available.

Positive seal self-closing doors with 120 degree stay open feature.

Exclusive air distribution system, allowing for efficient circulation that adjusts to cabinet load.

Door gaskets can be removed and replaced without tools for easy cleaning.

Reversing condenser fan motor and easy access to condenser greatly reduce maintenance.

LIFETIME WARRANTY on hinges and locks.

Microprocessor digital control with LED display.

LIFETIME GUARANTEED heavy-duty chrome die cast zinc handle on Solid and Glass door models.

Operates to climate class 5 – up to 43°C ambient.



Spec Series®

Doors

Positive seal self-closing doors with 120° stay open feature. Lifetime guaranteed external cam lift door hinges and bolt style door locks. Lifetime guaranteed, heavy-duty, chrome die cast zinc, working door handles.



LED lighting



Robust components



Efficient motors



Digital display



Quality materials

Exterior / Interior

Stainless steel door, front, floor and ceiling. Aluminum sides, side walls and back.

Shelving

(3) Sets 2/1 Gastronorm runners per door (shelves optional).

Air Distribution

Exclusive air distribution system allows for efficient circulation that adjusts to cabinet load.

Easy Maintenance

Door gaskets can be removed and replaced without tools for easy cleaning. Reversing condenser fan motor and easy access to condenser greatly reduces maintenance.

STG2R-2S

Reach-In Solid Swing Door Refrigerator



STG1R-1G



STG2R-2HG/2HS















STG1R-1S



STG2R-4HS

SPEC SERIES® STG Series

STG: Refrigerators

Model	Doors	Shelves	Dimensions (mm) W x D† x H	Litres	Crated Weight (kg)	Door Build
STG1R-1S	1	3	699 x 858 x 2137	622	170	 FULL SOLID
STG1R-2HS	2	3	699 x 858 x 2137	657	177	 HALF SOLID
STG1R-1G	1	3	699 x 858 x 2137	622	195	 FULL GLASS
STG1R-2HG	2	3	699 x 858 x 2137	622	211	 HALF GLASS
STG1R-1HG/1HS	2	3	699 x 858 x 2137	657	205	 HALF GLASS/HALF SOLID
STG2R-2S	2	6	1337 x 858 x 2137	1356	268	 FULL SOLID
STG2R-4HS	4	6	1337 x 858 x 2137	1356	320	 HALF SOLID
STG2R-2G	2	6	1337 x 858 x 2137	1334	322	 FULL GLASS
STG2R-4HG	4	6	1337 x 858 x 2137	1399	295	 HALF GLASS
STG2R-2HG/2HS	4	6	1337 x 858 x 2137	1356	268	 HALF GLASS/HALF SOLID
STG1RRI-1S	1	—	889 x 883 x 2128	1048	182	 FULL SOLID
STG2RRI-2S	2	—	1728 x 883 x 2128	2124	313	 FULL SOLID

† DEPTH DOES NOT INCLUDE 39MM FOR DOOR HANDLES.

† DEPTH DOES NOT INCLUDE 108MM FOR RAMP ON ROLL IN MODELS.

All dimensions rounded up to the nearest whole millimeter.



STG2R-2G



STG2R-4HS



STG1RRI-1S










STG2RRI-2S






Accessories

Interior Storage Options

Type 1	Description		Item Number
	Angle Type Tray Slide	16 ga. Stainless Steel For bottom support of: (1) 458 mm x 661 mm pan or (2) 356 mm x 458 mm pans	880866
Type 2			
	Rod Type Tray Slide	Chrome Plated Steel Rod Type For Rim Support of: (1) 458 mm x 661 mm pan Note: One pair of #2 tray slides accommodates one half section. *For light duty applications only	880818
Type 3			
	Universal Tray Slide	16 ga. Stainless Steel Angle Type for Bottom Support of: (1) 458 mm x 661 mm pan or (2) 356 mm x 458 mm pans or (2) 305 mm x 508 mm pans	880865
Shelving			
	Chrome Shelves with Shelf Supports	Chrome Shelves Stainless steel shelves also available *Not compatible with Gastronorm	N/A
	PVC Coated Shelves with Shelf Supports	Grey PVC Coated Shelves *Not compatible with Gastronorm	N/A
Additional Gastronorm Runners			
	Additional Gastronorm Runners	Set of 2 For support of gastronorm pans Note: When ordering runners please indicate model type.	976953
Gastronorm Wire Shelf			
	Gastronorm Shelf	Wire Shelf Kit, set of 3	977139
	*Fits in gastronorm runners and slides	Wire Shelf, each	970504

Legs / Castors

	Description	Item Number
	153 mm Legs (set of 4) – Stainless steel	881379
	153 mm Legs (set of 4) – for one & two section units	872025
	153 mm Seismic / Flanged Legs (set of 4) – for one & two section units	880348
	127 mm Castors (set of 4) – for one & two section units with brake	957545
	127 mm Castors (set of 6) – for one & two section units without brake	830278

Tray Slides	Spacings				
#1 Tray Slides	51 mm	77 mm	102 mm	127 mm	153 mm
Behind a full length door	28	19	14	11	10
Behind a half door	13	9	7	5	5
#2 Tray Slides	39 mm on center				
Behind a full length door	38				
Behind a half door	18				
Universal Tray Slides			102 mm	127 mm	153 mm
Behind a full length door			14	11	9
Behind a half door			6	5	4



True manufactures the
widest range of professional
refrigeration products.

www.truemfg.com





Food Preparation Tables
Undercounters
Worktops
Upright Cabinets
Underbar Refrigeration
Glass Door Merchandisers
Vertical Air Curtains
Spec Series®
Chef Bases



At True we pride ourselves on manufacturing the best refrigeration products in the world. But we also understand the importance of ensuring our after sales support matches the quality of our products.

All True customer support personnel are highly-trained, professional and friendly: their aim is to offer our customers exemplary after sales service and support.

Every customer enjoys a dedicated representative to handle their account personally. This ensures all customer enquiries are dealt with quickly and efficiently.

In the event you require technical support, our locally-based, True appointed service partners are able to offer prompt assistance, minimizing downtime and disruption to your operation.

TRUE REFRIGERATION - EUROPE

US OFFICE

2001 East Terra Lane • O'Fallon, Missouri 63366-4434 • USA
US Tel: +1 636.240.2400 • US Fax: +1 636.272.7546
US Toll Free: +1 800.325.6152 • Canada Toll Free to USA: +1 800.860.8783
Email: trueintl@truemfg.com

UK OFFICE

Fields End Road • Goldthorpe • Nr. Rotherham, South Yorkshire, S63 9EU • UK
Tel: +44 (0) 800.783.2049 • Freephone to USA: 0 800.894.928
Email: trueeurope@truemfg.com

EU OFFICE

Hauptstr. 269 • 79650 Schopfheim • Germany
Tel: +49 (0) 7622.6883.0 • Fax: +49 (0) 7622.6883.499
Email: trueeurope@truemfg.com

AUSTRALIA OFFICE

6B Phiney Place • Ingleburn, NSW 2565 • Australia
Tel: +61 2.9618.9999 • Fax: +61 2.9618.7259
Email: trueintl@truemfg.com

MEXICO OFFICE

Tel: +52.55.5804.6343/6344 • Fax: +52 555 804 6342
Toll free from U.S.A. and Mexico: +1 800.325.6152
Email: trueintl@truemfg.com

CHILE OFFICE

Av. Las Condes, # 7009, Local 1º • Comuna Las Condes — Santiago
Tel: +56 232.133.600
Email: trueintl@truemfg.com