
NOTES

CABINET INSTALLATION AND SET-UP



Cabinet Holding Temperatures

TRUE PRODUCT HOLDING TEMPERATURES

TECHNICAL INFORMATION

- **T-Series Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **T-Series Freezer**
Holds -10°F (-23.3°C)
- **TS (Stainless Steel) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **TS (Stainless Steel) Freezer**
Holds -10°F (-23.3°C)
- **TSD (Slide Door) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **TH Series (Heated Cabinet)**
Holds 80°F to 200°F (26.6°C to 93.3°C)
- **TR,TA,TG (Spec Series) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **TR,TA,TG (Spec Series) Freezer**
Holds -10°F (-23.3°C)
- **TR,TA,TG (Spec Series) Heated Cabinets**
Holds 80°F to 180°F (26.6°C to 82.2°C)
- **STR, STA, STG (Spec Series) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **STR, STA, STG (Spec Series) Freezer**
Holds -10°F (-23.3°C)
- **STR, STA, STG (Spec Series) Heated**
Holds 140°F to 180°F (60°C to 82.2°C)
- **TSSU (Sandwich / Salad) Refrigerator**
Holds 33°F to 41°F (0.5°C to 5°C)
- **TPP (Pizza Prep Table) Refrigerator**
Holds 33°F to 41°F (0.5°C to 5°C)
- **TFP (Food Prep) Refrigerator**
Holds 33°F to 41°F (0.5°C to 5°C)
- **TUC (Undercounter) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **TUC (Undercounter) Freezer**
Holds -10°F (-23.3°C)
- **TWT (Worktop) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **TWT (Worktop) Freezer**
Holds -10°F (-23.3°C)
- **TRCB (Chef Bases) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **TMC (Milk Coolers) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **GDM (Glass Door Merchandiser) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **GDM (Glass Door Merchandiser) Freezer**
Holds -10°F (-23.3°C)
- **GDIM (Glass Door Ice Merchandiser)**
Holds 20°F to 25°F (-6.7°C to -3.9°C)
- **TAC (Vertical Air Curtain) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **TFM (Horizontal Freezers)**
Holds -10°F (-23.3°C)
- **TSID (Single Duty Deli Cases) Refrigerator**
Holds 38°F to 40°F (3.3°C to 4.5°C)
- **TDBD (Double Duty Deli Cases) Refrigerator**
Holds 38°F to 40°F (3.3°C to 4.5°C)
- **TCGG (Curved Glass Deli Case) Refrigerator**
Holds 38°F to 40°F (3.3°C to 4.5°C)
- **TCGR (Curved Glass Display Case) Refrigerated Bakery**
Holds 38°F to 40°F (3.3°C to 4.5°C)
- **TCGR-CD (Curved Glass Display Case) Cold Deli**
Holds 36°F to 38°F (0.5°C to 3.3°C)
- **TDD (Direct Draw Beer Dispensers) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **TBB (Back Bar) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **TDB (Back Bar / Direct Draw Beer Dispenser) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **TD (Horizontal Bottle Coolers) Refrigerator**
Holds 33°F to 38°F (0.5°C to 3.3°C)
- **TD-LT (Horizontal Bottle Coolers / Low Temp Models)**
Holds 20°F (-6.7°C)
- **T-GC (Glass & Plate Chillers / Frosters)**
Holds 0°F and below
- **TDC (Dipping Cabinet) Freezer**
Holds -10°F to 8°F (-23.3°C to -13.3°C)
- **THDC (Horizontal Dipping Cabinet) Freezer**
Holds -10°F to 8°F (-23.3°C to -13.3°C)
- **THAC (Horizontal Air Curtain) Refrigerator**
Holds 35°F to 40°F (1.6°C to 4.4°C)

FAHRENHEIT CONVERSION / CELSIUS CONVERSION

OPERATION INSTRUCTIONS

F°	Fahrenheit	Celsius	C°	Celsius	Fahrenheit	F°
	-10	-23.33		-24	-11.2	
	-8	-22.22		-22	-7.6	
	-6	-21.11		-20	-4	
	-4	-20		-18	-0.4	
	-2	-18.89		-16	3.2	
	0	-17.78		-14	6.8	
	2	-16.67		-12	10.4	
	4	-15.56		-10	14	
	6	-14.44		-8	17.6	
	8	-13.33		-6	21.2	
	10	-12.22		-4	24.8	
	12	-11.11		-2	28.4	
	14	-10		0	32	
	16	-8.88		2	35.6	
	18	-7.78		4	37.2	
	20	-6.67		6	42.8	
	22	-5.56		8	46.4	
	24	-4.44		10	50	
	26	-3.33		12	53.6	
	28	-2.22		14	57.2	
	30	-1.11		16	60.8	
	32	0		18	64.4	
	34	1.11		20	68	
	36	2.22		22	71.6	
	38	3.33		24	75.2	
	40	4.44		26	78.8	
	42	5.56		28	82.4	
	44	6.67		30	86	
	46	7.78		32	89.6	
	48	8.89		34	93.2	
	50	10		36	96.8	
	52	11.11		38	100.4	
	54	12.22				
	56	13.33				
	58	14.44				
	60	15.56				
	62	16.67				
	64	17.78				
	66	18.89				
	68	20				
	70	21.11				
	72	22.22				
	74	23.33				
	76	24.44				
	78	25.56				
	80	26.67				
	82	27.78				
	84	28.89				
	86	30				
	88	31.11				
	90	32.22				
	92	33.33				
	94	34.44				
	96	35.56				
	98	36.67				
	100	37.78				

$$F = (9/5 \times C) + 32$$

Example:
Convert 212°F to C°
C = 5 ÷ 9 x (212 - 32)
C = 100.8

$$C = 5/9 \times (F - 32)$$

Example:
Convert 75°C to F
F = 9 ÷ 5 = 1.8
(1.8 x 75) + 32
F = 167°

